

US Serial No. 10/552655


Page 2 of 20

In the Claims:

1.(canceled)

2.(canceled)

3.(currently amended) A method of manufacturing a fragrance application, comprising the incorporation into said fragrance application as a fragrance ingredient a tertiary non-vinylic carbamate fragrance composition comprising as a fragrance ingredient a carbamate of formula (I)



wherein

R<sup>1</sup> and R<sup>2</sup> are independently selected from the group consisting of:

- (a) C<sub>1</sub> to C<sub>11</sub> alkyl; C<sub>3</sub> to C<sub>11</sub> alk-(>1)-enyl; or C<sub>2</sub> to C<sub>11</sub> alkynyl group; and
- (b) cycloalkyl optionally substituted with alkyl, alkenyl and alkoxy group(s); C<sub>3</sub> to C<sub>8</sub> cycloalkenyl optionally substituted with alkyl, alkenyl and alkoxy group(s); or phenyl or naphthyl optionally substituted with alkyl, alkenyl and alkoxy group(s); and
- (c) C<sub>4</sub> to C<sub>14</sub> cycloalkylalkyl, wherein the cycloalkyl ring is optionally substituted with alkyl, alkenyl and alkoxy group(s); or phenylalkyl or naphthylalkyl, wherein the aromatic ring is optionally substituted with alkyl, alkenyl and alkoxy group(s); and

R is selected from the group consisting of:

- (a) C<sub>1</sub> to C<sub>11</sub> alkyl; C<sub>3</sub> to C<sub>11</sub> alk-(>1)-enyl; or C<sub>2</sub> to C<sub>11</sub> alkynyl group; and
- (b) cycloalkyl optionally substituted with alkyl, and alkenyl, ~~and alkoxy~~ group(s); C<sub>3</sub> to C<sub>8</sub> cycloalkenyl optionally substituted with alkyl, and alkenyl ~~and alkoxy~~ group(s); or phenyl or naphthyl optionally substituted with alkyl, and alkenyl ~~and alkoxy~~ group(s); and


US Serial No. 10/552655  
Page 3 of 20

- (c) C<sub>4</sub> to C<sub>14</sub> cycloalkylalkyl, wherein the cycloalkyl ring is optionally substituted with alkyl, and alkenyl ~~and alkoxy~~ group(s); C<sub>4</sub> to C<sub>14</sub> cycloalkenylalkyl, wherein the cycloalkenyl ring is optionally substituted with alkyl, and alkenyl ~~and alkoxy~~ group(s); or phenylalkyl or naphthylalkyl, wherein the aromatic ring is optionally substituted with alkyl, and alkenyl ~~and alkoxy~~ group(s); and
- ~~(d) C<sub>5</sub> to C<sub>14</sub> cycloalkylalkoxyalkyl, wherein the cycloalkyl ring is optionally substituted with alkyl, alkenyl and alkoxy group(s); C<sub>5</sub> to C<sub>14</sub> cycloalkenylalkoxyalkyl, wherein the cycloalkenyl ring is optionally substituted with alkyl, alkenyl and alkoxy group(s); or phenylalkoxyalkyl or naphthylalkoxyalkyl, wherein the aromatic ring is optionally substituted with alkyl, alkenyl and alkoxy group(s); and~~
- (e) (d) heteroaromatic ring optionally substituted with alkyl, alkenyl and alkoxy group(s); heteroarylalkyl ring optionally substituted with alkyl, alkenyl and alkoxy group(s); heterocyclic ring optionally substituted with alkyl, alkenyl and alkoxy group(s) or heterocycloalkyl ring optionally substituted with alkyl, alkenyl and alkoxy group(s); and the ring having 5 to 6 ring members and the hetero atom of the ring is oxygen or nitrogen; and
- R, R<sup>1</sup> and R<sup>2</sup> having together 7 to 18 carbon atoms, and  
further wherein the fragrance composition is a fragrance.

4.(cancelled)

5.(currently amended)

A compound of formula (I)



wherein the compound is a fragrance, and further wherein the groups R, R<sup>1</sup> and R<sup>2</sup> are selected according to the following table:

R	R <sup>1</sup>	R <sup>2</sup>
<hr/>		

US Serial No. 10/552655  
Page 4 of 20

hex-3-enyl	ethyl	ethyl
2-ethyl-hexyl	methyl	methyl
methyl	ethyl	methyl-tolyl
methyl	ethyl	ethyl-tolyl
3-methyl-but-2-enyl	ethyl	ethyl
3-methyl-but-3-enyl	ethyl	ethyl
hex-3-enyl	methyl	iso-propyl
2,2,5-trimethyl-hex-4-enyl	ethyl	ethyl
undec-10-enyl	methyl	methyl
2-ethyl-hexyl	methyl	iso-propyl
2-ethyl-hexyl	ethyl	iso-propyl
1,1-dimethyl-(4-methyl-cyclohex-3-enyl)-ethyl	methyl	methyl
1,1-dimethyl-(4-methyl-cyclohex-3-enyl)-methyl	methyl	methyl
ethyl	methyl	hexyl
2-methyl-propyl	methyl	butyl
2-methyl-propyl	ethyl	butyl
1,2-dimethyl-1-propyl-propyl	methyl	methyl
1,2-dimethyl-1-propyl-iso-propyl	methyl	methyl
<del>2-ethoxy-phenyl</del>	<del>methyl</del>	<del>methyl</del>
<del>2-[1 (3,3-dimethyl-cyclohexyl)-ethoxy]-2-methyl-propyl</del>	<del>methyl</del>	<del>methyl</del>
<del>2-[1 (3,3-dimethyl-cyclohexyl)-ethoxy]-2-methyl-propyl-ethyl</del>	<del>ethyl</del>	<del>ethyl</del>
furylmethyl	ethyl	ethyl

6.(cancelled)

7.(cancelled)

8.(currently amended)      A method of manufacturing a fragrance application  
according to of claim 3, 7 wherein the fragrance application is selected from the group


US Serial No. 10/552655  
Page 5 of 20

consisting of: perfume, household product, laundry product, body care product and cosmetics.

9.(canceled)

10.(currently amended)

A method of manufacturing a fragrance application  
~~fragrance composition~~ according to claim 3, wherein the ~~comprising as a~~ fragrance  
ingredient is a compound selected from a compound according to formula (I)




wherein the groups R, R<sup>1</sup> and R<sup>2</sup> are selected according to the following table:

R	R <sup>1</sup>	R <sup>2</sup>
hex-3-enyl	ethyl	ethyl
2-ethyl-hexyl	methyl	methyl
methyl	ethyl	methyl-tolyl
methyl	ethyl	ethyl-tolyl
3-methyl-but-2-enyl	ethyl	ethyl
3-methyl-but-3-enyl	ethyl	ethyl
hex-3-enyl	methyl	iso-propyl
2,2,5-trimethyl-hex-4-enyl	ethyl	ethyl
undec-10-enyl	methyl	methyl
2-ethyl-hexyl	methyl	iso-propyl
2-ethyl-hexyl	ethyl	iso-propyl
1,1-dimethyl-(4-methyl-cyclohex-3-enyl)-ethyl	methyl	methyl
1,1-dimethyl-(4-methyl-cyclohex-3-enyl)-methyl	methyl	methyl
ethyl	methyl	hexyl
2-methyl-propyl	methyl	butyl
2-methyl-propyl	ethyl	butyl



US Serial No. 10/552655  
Page 6 of 20

1,2-dimethyl-1-propyl-propyl	methyl	methyl
1,2-dimethyl-1-propyl-iso-propyl	methyl	methyl
<del>2-ethoxy-phenyl</del>	<del>methyl</del>	<del>methyl</del>
<del>2-[1-(3,3-dimethyl-cyclohexyl)-ethoxy]-2-methyl-propyl</del>	<del>methyl</del>	<del>methyl</del>
<del>2-[1-(3,3-dimethyl-cyclohexyl)-ethoxy]-2-methyl-propyl-ethyl</del>	<del>ethyl</del>	<del>ethyl</del>
furylmethyl	ethyl	ethyl


11.(currently amended) A method of manufacturing a fragrance application  
~~fragrance composition~~ according to claim 3, wherein the ~~comprising as a~~ fragrance  
ingredient is a compound selected from the group consisting of:



US Serial No. 10/552655  
Page 7 of 20



and



12.(cancelled)

13.(currently amended) A method of manufacturing a fragrance application according to claim 11, 12 wherein the fragrance application is selected from the group consisting of: perfume, household product, laundry product, body care product and cosmetics.

US Serial No. 10/552655  
Page 8 of 20

14.(cancelled)

15.(currently amended) A method of manufacturing a fragrance application according to claim 10, 14 wherein the fragrance application is selected from the group consisting of: perfume, household product, laundry product, body care product and cosmetics.

16.(canceled)

17.(canceled)

18.(previously presented) A method of manufacturing a fragrance application, comprising the incorporation as fragrance ingredient of a compound of formula (I) according to claim 5.

19.(currently amended) A method of claim 18 wherein the fragrance application is selected from the group consisting of: perfume, household product, laundry product, body care product and cosmetics.